


VALVES

KABAT


VALVES

TR-13




VALVE	A (mm)	B (mm)	C (dia mm)	D (dia mm)
TR-13	37	33,5	56	11,2

TR-15




VALVE	A (mm)	B (mm)	C (dia mm)	D (dia mm)
TR-15	37	33,5	56	16,2

TR-150





VALVE	A (mm)	B (mm)	C (dia mm)	D (dia mm)
TR-150	93	89,7	56	15

TR-218




VALVE	A (mm)	B (mm)	C (dia mm)	D (dia mm)
TR-218A	27	20,65	64	15,9

TR-220




VALVE	A (mm)	B (mm)	C (dia mm)	D (dia mm)
TR-220A	36	29,65	64	15,9

TR-300




VALVE	A (dia mm)	B (dia mm)
TR-300	70	58

TRJ1175C



VALVE	A (mm)	B (mm)	C (dia mm)	D (dia mm)	E°
TRJ1175C	35	105	4	32	88

TRJ4000-6




VALVE	A (mm)	B (mm)	a°
TRJ4000-6	31	139,7	90

VALVES


VALVES

VS3-21-1




VALVE	A (mm)	B (mm)	C (dia mm)
VS3-21-1	77	47.5	9.3

TR75A*




VALVE	A (mm)	B (mm)	C (mm)	D (dia mm)	E°
TR75A	95	76	24	82	86
TR77A	124	105	24	82	86
TR78A	146	127	24	82	86
TR177A	114	95	24	82	86
TR179A	160	141	24	82	86

PK-5A-145



VALVE	A (mm)	B (mm)	C (dia mm)
PK-5A-145	145	6.7	76

V590




VALVE	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	1	2	3	4
V590	38.5	90	30	50	30	10.2	90°	160°	160°	140°

V3.02...



VALVE	A (mm)	B (mm)	a°
V3.02.1	25.5	41.5	120°
V3.02.2	22.5	43	120°
V3.02.3	33	44.5	95°
V3.02.4	39.5	44.5	110°
V3.02.5	20.5	47.5	90°
V3.02.6	23.5	60.5	110°
V3.02.7	22.5	71.5	100°
V3.02.8	20.5	89.5	94°
V3.02.9	20.5	99.5	94°
V3.02.10	20.5	115	94°
V3.02.11	20	126	98°
V3.02.12	20.5	132	94°
V3.02.13	20.5	133.5	90°
V3.02.14	20.5	138.5	94°
V3.02.15	20.5	145.5	94°
V3.02.16	20.5	149.5	90°
V3.02.17	20.5	156.5	90°
V3.02.18	22.5	74.5	90°
V3.02.19	20.5	60	94°
V3.02.20	22.5	56.5	95°
V3.02.21	20.5	172	90°
V3.02.23	29.5	66.5	90°
V3.02.24	20.5	117	90°
V3.02.26	20.5	105	94°
V3.02.27	20	75	94°
V3.02.29	20	127	94°

V3.04...



VALVE	A (mm)	B (mm)	C (mm)	a°	β°
V3.04.1	20.5	32	37	90°	138°
V3.04.2	20.5	38	41.5	90°	153°
V3.04.3	20	59	38.5	94°	163°
V3.04.4	20	74	40	94°	144°
V3.04.5	20	76	47.5	90°	153°

VALVES


VALVES

KABAT

V3.04...


VALVE	A (mm)	B (mm)	C (mm)	a°	β°
V3.04.6	20	86	47.5	90°	153°
V3.04.7	20.5	30.5	38	90°	154°
V3.04.8	20.5	36.5	43	90°	167°
V3.04.10	20.5	47	53	90°	154°
V3.04.11	20.5	47	63.5	90°	154°
V3.04.12	20.5	60.5	60.5	90°	159°
V3.04.14	20.5	83.5	65	90°	159°
V3.04.15	20.5	42	38.5	90°	120°
V3.04.17	20	65	45	90°	160°
V3.04.18	20	72	45	90°	160°
V3.04.20	20	68	47	94°	164°
V3.04.21	20	83	57	94°	154°
V3.04.22	20	28	47	94°	164°
V3.04.23	20	48	47	94°	164°
V3.04.24	20	58	47	94°	164°
V3.04.25	20	80	47	94°	164°
V3.04.26	20	99	42	99°	189°

V3.06...




VALVE	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	a°	β°
V3.06.1	20.5	30.5	19.5	35.5	17	90°	139°
V3.06.2	20.5	44.5	12	37.5	17	90°	125°
V3.06.3	20.5	46	20.5	47.5	17	90°	139°
V3.06.4	32.5	46.5	20.5	46.5	17	95°	140°
V3.06.5	20.5	62.5	19.5	49	17	90°	139°
V3.06.6	20	79.5	19.5	37.5	17	90°	139°
V3.06.7	20.5	45.5	18.5	42.5	17	90°	137°
V3.06.8	24.5	61.5	14.5	50.5	7.5	94°	153°
V3.06.9	20.5	67.5	19.5	54.5	17	90°	139°
V3.06.12	23.5	71.5	19.5	25.5	11.5	90°	150°
V3.06.13	20	40	13	40	7	94°	153°
V3.06.14	20	50	13	40	7	94°	153°
V3.06.15	20	60	13	40	7	94°	153°
V3.06.16	20	62	13	50	7	94°	153°
V3.06.17	20	75	13	50	7	94°	153°
V3.06.18	20	82	30	35	10	94°	153°

V3.08...




VALVE	A (mm)	B (mm)	C (dia mm)
V3.08.1	65	7	26
V3.08.2	70	7	26
V3.08.3	80	8	26
V3.08.4	57	5	26

SP-5 (TR-11) (V521)




VALVE	A (mm)	B (mm)	C (dia mm)
SP-5	40	34.8	57

GP-4 (TR-4) (V1.09.1)




VALVE	A (mm)	B (mm)	C (dia mm)
GP-4	34.5	29.5	45

GP-3 (TR4A) (V1.06.1)



VALVE	A (mm)	B (mm)	C (dia mm)
GP-3	34	29.5	25

TR87




VALVE	A (mm)	B (mm)	C (dia mm)	D (dia mm)	a°
TR87	48	43.5	45	10.5	90°

VALVES


VALVES

TR87A




VALVE	A (mm)	B (mm)	C (dia mm)	D (dia mm)	a°
TR87A	46	41	32	9.5	90

JS2



VALVE	A (mm)	B (mm)	C (dia mm)	a°
JS2	61	56.5	57	90

GW 4B 50°x60




VALVE	L	a°
GW 4B 50°x60	60	50°

If required by the customer, inner tubes can be appointed to any valve offered by our company.


The valve pictures shown above are only examples and real valves can slightly differ from these. However all valves are manufactured according to technical specification shown above.

PACKING

310 x 310 x 470 mm




20' container =



1 pallet =



26 pallets =



Tubes are packed in cardboard boxes 470x310x310mm
35 boxes are bundled on 1 block pallet (1000x1200x1850mm)
26 block pallets on truck trailer
910 boxes are packed on a truck trailer
588 boxes are packed in 20' container